

# 6mm 2D Wire Bending Machine Automatic Wire Bender Servo Motor Control

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- J2D-2-6 1 set Negotiable
- Export wooden case
- 5-10 days or negotiation

Guangdong, China

Jin Hongxiang

L/C, T/T

CE

100 Sets per Month



## **Product Specification**

- Function:
- Control System:
- Applicable Industries:
- Wire Size:
- Warranty:
- Wire Feeding Speed:

- Bend The Iron Wire Into Various Shapes
- Servo Motor, Planetary Reducer
- Wire Processing And Forming
- ø2-6mm 1 Year

80 M/MIN)

- Highlight:
- 2D Wire Bending Machine Automatic, 6mm 2D Wire Bending Machine, Automatic Wire Bender



**Our Product Introduction** 

### Automatic 2D Wire Bending Machine

Product Description

2D forming machine is a plane 2D wire bending forming machine. The forming process of wire shapes with different specifications can be realized through various transformations of molds. There are servo feeding + hydraulic cut-off combination, servo feeding + servo cut-off and full servo combination, which can be selected according to the size of actual products to achieve the highest cost performance. According to the needs of products, chamfering, arc punching, punching and other functions can also be added to achieve wider application and use.

#### Technical parameter of 2D molding machine

Model	J2D-2-6	J2D-2-8	J2D-2-10	JS2D-2-6
Number axes	3	3	3	4
Processing line diameter(MM)	Hard wire ø2-4	Hard wire ø2-6	Hard wire ø2-8	Hard wire ø2-4
	Flexible wire ø2-6	Flexible wire ø2-8	Flexible wire ø2-10	Flexible wire ø2- 6
Number of delivery wheels (Group)	3	3	3	3
Control system	32-bit high- performance processor, can store 2048 files, programming accuracy 0.01	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01	32-bit high- performance processor, can store 2048 files, programming accuracy 0.01	32-bit high- performance processor, can store 2048 files, programming accuracy 0.01
Maximum wire speed(M/MIN)	80	70	60	90
Movement direction	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized
Wire delivery accuracy(mm)	±0.1	±0.1	±0.1	±0.1
Solenoid valve and quantity	nothing	nothing	nothing	3
Input power	380V,50/60HZ	380V,50/60HZ	380V,50/60HZ	380V,50/60HZ



### Applicable to various industries

(1) Auto parts: production of child seat frame, door lock pull rod, snake spring, including one snake and two snakes, auto cathead spring, sun visor rail frame, auto seat wire, motorcycle parts, bicycle parts, lift car, etc.

(2)Daily hardware: kitchen display rack, storage rack, egg dispenser, cabinet basket, refrigerator rack, bathroom display rack, etc.

(3)Wire craft products, lighting molding products, fishing gear parts products, wine racks, family fruit plates, garden flower racks, Christmas wire gifts, etc.

(4) Processing of all kinds of cages: bird cage, dog cage, pet cage, breeding cage, rat cage, etc. Clothes hanger, shoe hanger, curtain hook, shelf hook, display hook and other hooks .

(5)Production supplies: storage rack, mesh, hook, display rack, assembly line accessories, etc.

#### FAQ

#### Q: What is your normal lead time?

A. If there is stock, our company usually receives the payment for goods and delivers them within a week. If it needs to be customized, the delivery cycle is usually 3-4 weeks after receiving the deposit.

Q: What are your terms of payment?

- A: We accept TT.
- Q: What kind of packing do you offer?
- A. Packaging is usually installed for the export of plywood boxes.
- Q: What is the minimum order quantity you can produce?

A. Usually we have them in stock, and the minimum order is 1 set.

### Q: How to control product quality?

A. We always attach great importance to product quality. Before leaving the factory, it will be fully aged and debugged. And we always adhere to the principle of "providing customers with better quality, better price and better service.

**Jan** Dongguan Jinghongxiang Automation Equipment Co., Ltd.

C 13925780098 🖸 jhx16888@gmail.com

@ wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China