

Flash Butt Welding Machine Process For Hardware Furniture

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JT-100
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export wooden case packaging
- Supply Ability: 100 Set/Sets per Month



Product Specification

- Applicable Industries: Hardware Furniture And Hardware Products
- Weight (KG): 500
- Voltage: 380V
- Feature: Butt Welded Hollow Pipe, Flat Iron, Or Relatively Large Round Bar
- Advantage: Professional Production Of Welding Equipment For More Than 20 Years
- After Warranty Service: One Year Warranty, Except For Wearing Parts
- Highlight: **Flash Butt Welding Machine,
Hardware Furniture Butt Welding Machine,
CE Flash Butt Welding Process**

Product Description

Flash butt welder Flash butt welding machine

Nickname

JS-100 flash welder,
flash butt welder,
large round bar butt welder,
square pipe butt welder,
iron pipe butt welder,
flat iron butt welder


**Function and application:**

horizontal butt welding of large iron wire, wide flat iron and iron pipe. A welding interface is completed in a few seconds. The equipment has the advantages of high efficiency, high precision, firm welding, good compactness, no false welding, no pores and no slag inclusion.

Main application areas

1. Welding of various tableware, kitchen and tableware tools;
2. Butt welding of bicycles, motorcycles, car rims and other metal rings;
3. Butt welding of various metal wires, metal belts, iron bars and building reinforcement;
4. "L" shape and "I" shape welding of various round pipes and square pipes;
5. Diagonal welding of window frame and door frame.

Our advantages



Performance characteristics:

All red copper water circulation control device of transformer, water-saving forced cooling, imported high-grade silicon steel, with long service life, high conductivity, low power consumption and strong current. And equipped with temperature control system, overheating and overload will automatically power off for protection.




**台湾水循环变压器
water circulation
Taiwan transformer**

**A.Taiwan transformer features:
sufficient capacity, greater welding
force and stronger conductivity**


**B.Water circulation cooling, which can
be used within the rated range to
ensure 24 hours of operation.**

**C.Moreover, the temperature control
device can work overload and
automatically cut off power to protect
the whole machine from being affected.**

2. Thyristor, the main circuit adopts high-power SCR contactless switch, water-saving forced cooling and long-term durability.



3. The push cylinder is a pneumatic oil booster cylinder with adjustable stroke and large force. To ensure the welding effect of welding large workpieces.



4. The lower pressure cylinder is a double force cylinder. The downward pressure is large to ensure that the workpiece does not move to ensure the stability of welding. And equipped with large flow control valve, the air flow is controllable and the regulation is more ideal.



Welding sample display



焊·接·样·品 COMPANY BUSINESS SCOPE



Technical parameters:					
Model	JD-80K600L	JD-100K600L	JD-125K600L	JD-150K600L	JD-200K600L
Rated power KVA	80	100	125	150	200
Input voltage V	380V 50/60HZ	380V 50/60HZ	380V 50/60HZ	380V 50/60HZ	380V 50/60HZ
Maximum short circuit current A	27000	29000	31000	32000	34000
MM Diameter of welded iron pipe MM	≤20	≤30	≤35	≤40	≤50
Cooling water volume L/LIN	10	10	10	12	12
Weight KG	450	500	550	580	630

Our tenet:
every equipment, we must achieve the ultimate!!
Warm tip:
our products are constantly upgraded and improved.
If the color or structure changes, the real object shall prevail.



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China