

5.5KW Hydraulic Trimming Machine 1000MM Large Wire Mesh Trimming Machine

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: 5.5KW
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export wooden case
- Delivery Time: 5-10 days or negotiation
- Payment Terms: L/C, T/T
- Supply Ability: 100 Set/Sets per Month



Product Specification

- Condition: New
- Machine Type: Trimming Machine
- Weight (KG): 800
- Warranty Of Core Components: 1 Year
- Control System: Hydraulic System
- Function: Trimming Mesh Edge
- Advantage: The Whole Machine Is Stable And Fast, And Can Be Trimmed Within 1.5m At A Time.
- Port: Shenzhen, China
- Highlight: 5.5KW Hydraulic Trimming Machine,
1000MM Hydraulic Trimming Machine,
Hydraulic Wire Mesh Trimming Machine

for more products please visit us on wire-bendingmachine.com

Product Description

Hydraulic Trimming Machine 1000MM

Trim Style



Application of trimming machine

It is mainly used for trimming the periphery of wire metal mesh, with flat port and simple operation. For example: highway or railway fence, building ground is paved with wire mesh, pet cage mesh, storage rack mesh, barbecue mesh, etc.

Features of this machine, the length of the blade is 1000MM, Barbed wire less than 1000MM can be completed at one time.



name


JX-1000Hydraulic trimming machine,
large mesh trimming machine,
fast trimming machine

Performance characteristics:


1. This hydraulic trimming machine is specialized in trimming the mesh with large edges. The mesh length can be 1m or more at one time. Within the allowable range, a large mesh can be repaired only four times.
2. The machine has a large mesh support adjustment frame, which makes it easier and easier to operate. It takes only 2 seconds to cut each side within 1m, which is very simple and efficient.
3. Large motor, large oil pump, fast start and strong power. You are a good helper for the ideal large order. Thickened sheet metal, specially fixed, the whole machine is very firm and stable.

4. The cutter adopts special materials for special treatment, which is very durable, the cutting products are neat, and can be treated at a certain angle.
5. Inching start, set the position, step on the foot, and the switch works once, which is very random.

Structure show



Wire mesh display



快速修 修 机的技 参数 technical parameter			
型号 model	JX-1000	JX-1250	JX-1500
液 系 Hydraulic system	5.5KW+PV2	5.5KW+PV2	7.5KW+PV2
油缸数量 Number of cylinders	100*50-50*1	100*50-50*1	100*50-50*2
一次最大切 度MM Maximum cutting length at one time	≤1000	≤1250	≤1500
切削速度 M/MIN cutting speed	1	1	1
外形尺寸(x x高) CM Overall dimension (L x W x H)	125*110*190	150*110*190	175*110*190
重 量 KG weight	1000	1170	1500



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China